



# INDUSTRIAL FINISHES

**Automotive and Industrial Coatings**



**LOGO USAGE | BRANDING  
STYLE GUIDE**


# Logo Clear Space Requirements

“Breathing room”, or surrounding clear space, is an essential part of Industrial Finishes brand presentation. When the logotype is placed in an area that is cluttered, it can become lost and will not effectively communicate our brand identity. To ensure that there is enough ‘breathing room,’ the minimum clearance between the logo and other elements should be equal to the height of the “X” height of the division line and letters in “INDUSTRIAL FINISHES”.



## Size Requirement

Minimum size of logo reproduction in printed applications the logo should never appear below a minimum size of 1.75" wide with tagline and 1" wide without tagline.



## Integrity of the logo

Do not skew or scale the width or height.

Not acceptable



Not acceptable



# Logo Color Use

Color options for reproduction of the logo.



When using PMS 2 color coated



PMS 343



PMS 382

When using 4 color process coated



C88 M76  
Y12 K70



C30 M0  
Y100 K0

Web Safe Colors



Hex #  
185641



Hex #  
c2d501

# Logo options and usage

All logos can be downloaded for usage at: <https://industrialfinishes.com/media>



## IF LOGO COLOR

To be used on white or light colored backgrounds



## IF LOGO GREY

Can be used when printing in 1 color and you prefer 2 toned image



## IF LOGO BLACK

Can be used when printing in 1 color or on light colored solid background



## IF LOGO COLOR OUTLINE

To be used on colored or complex backgrounds, including photos or gradations



## IF LOGO BLACK OUTLINE

To be used on colored or complex backgrounds, including photos or gradations. As well as 1 color print applications



## IF LOGO REVERSE

To be used on dark backgrounds when reversal is more appropriate. Reverting on more complex backgrounds or images and 1 color printing

# Logo samples of usage

All logos can be downloaded for usage at: <https://industrialfinishes.com/media>



# Typography

Support fonts to be used when producing colateral, presentations and signage

## Option 1 - Open Sans

<https://fonts.google.com/specimen/Open+Sans>

Preferred for body copy and headers

Light  
*Light Italic*  
Regular  
*Regular Italic*  
Semi-Bold  
***Semi-Bold Italic***  
Bold  
***Bold Italic***  
Extra-Bold  
***Extra-Bold Italic***

## Option 2 - Gill Sans

Requires License

Preferred for body copy and headers

Light  
*Light Italic*  
Regular  
*Regular Italic*  
Semi-Bold  
***Semi-Bold Italic***  
Bold  
***Bold Italic***

## Option 3 - Eurostile

Requires License

Preferred for headers and callouts

Medium  
Demi  
***Demi Oblique***  
Bold  
***Bold Oblique***  
Extended  
**Bold Extendend**

## Option 4 - Impact

Standard on most computers

Preferred for headers and callouts

**Regular**